

# SPARE PARTS SPECIFICATION

## HTBP S

Valid for all convection ovens with marked under following syntax of product code

- AAA-DDD - Codes of serial product

- AAA-DDD-NNNNNNN - Codes of product with option

Product type:

HTBP16/80-S 100-324

HTBP10/60-S 100-325


Valid from LOT product number:

21683

Valid from DATE:

20.09.2021

Position on the drawing	Spare part recommendation	Code - Spare parts name	Unit	HTBP16/60-S	HTBP10/60-S
001	•	001-06138 - Heater F-271.1, 1200W, 230V	PC	•	•
002	•	001-10032 - Heater 8,5c375-64,5"M" 230/1200W	PC	•	•
003	•	002-10002 - Safety thermostat 85 C	PC	•	•
004	•	002-10007 - Safety thermostat 125 C PV-B	PC	•	•
005	•	003-20013 - Gasket (m) - omega profile 137/25	PC	•	•
006	•	004-10036 - Controller - MAIN board BASIC-UL	PC	•	•
007	•	004-10048 - Controller transmitter USB-C LCD	PC	•	•
009	•	005-10028 - Motor EBM 34W 230V 50Hz	PC	•	•
010	•	005-10022 - Fan DP200A2123XBTGN,120x120x38_230V	PC	•	•
012	•	007-10023 - Switch - relay DRM 270730LT	PC	•	•
013	•	007-10024 - Switch - relay-base 776005626_SCM_2CO_ECO	PC	•	•
014	•	009-10010 - Transformer, power supply MW HDR-15-15	PC	•	•
015	•	010-05013 - Temp.probe PT100 (260 C), L=1,0 m	PC	•	•
016	•	011-06020 - Electromagnetic valve 90	PC	•	•
017	•	011-10002 - Humidity probe EVHP503	PC	•	•
018	•	011-10010 - Level senzor_PTFA1015_C	PC	•	•
022	•	012-06132 - DIN Rail Terminal VSV 4 PA - fuse carrier	PC	•	•
023	•	012-10003 - Terminal block 2-pole TAB, 2WAY 16A	PC	•	•
024	•	015-10010 - Light LED OC-B-05	PC	•	•
025	•	015-10012 - Light LED OC-A-03	PC	•	•
026	•	017-10012 - USB Cable female/male	PC	•	•
027	•	017-10021 - Cable USBC	PC	•	•
028	•	022-20015 - Silicone hose Fi9,0x3,75 mm FDA PET	PC	•	•
029	•	023-10026 - Magnet fi32 M6	PC	•	•
030	•	024-10010 - Bumper rubber fi9 - thickness 2,5mm	PC	•	•
031	•	027-10056 - Glass 644x336x4 PARSOL GREY	PC	•	•
032	•	027-10057 - Glass 434x336x4 PARSOL GREY	PC	•	•
033	•	032-06095 - Movable wheel Fi-80	PC	•	•
034	•	032-06096 - Movable wheel Fi-80 with brake	PC	•	•
035	•	035-10002 - Filter RC KNR1512 U68 10% +100R 250VRC	PC	•	•
036	•	035-10012 - Loudspeaker EKULIT LSM-57	PC	•	•
037	•	035-10019 - RC filter RIM 3 110/230VAC LED	PC	•	•
038	•	038-10010 - Door handle l=130mm	PC	•	•
039	•	097-32401070 - Door right - weld PV-BHTB16S,SW	PC	•	•
040	•	097-32401071 - Door left - weld PV-BHTB16S,SW	PC	•	•
041	•	097-32501052 - Door hinge upper right - weld PV-BHTBS,SW	PC	•	•
042	•	097-32501053 - Door hinge upper left - weld PV-BHTBS,SW	PC	•	•
043	•	097-32501070 - Door right - weld PV-B10HTBS,SW	PC	•	•
044	•	097-32501071 - Door left - weld PV-BHTB10S,SW	PC	•	•
045	•	097-32501091 - Generator steam - weld PV-BS,SW	PC	•	•
046	•	098-5002138 - Steaming nozzle d=1,2	PC	•	•
048	•	035-10024 - Capacitor EM 1.5uF 475VAC 28x55mm	PC	•	•
049	•	099-32501064 - Electronic controller - assy PV-B_S-Control	PC	•	•



Positions 31,32 needs to be glued on door with double sided tape.

ELECTRIC PLATE

