

SPARE PARTS SPECIFICATION

FIN-BAKE SMART

Valid for all convection ovens with marked under following syntax of product code

- AAA-DDD - Codes of serial product

- AAA-DDD-NNNNNNN - Codes of product with option

Product type:

100-601.3007

Valid from LOT number:

240441


Valid from DATE:

30.04.2024


Position on the drawing	Spare part recommended	Code - Spare part name	Unit	FB5-S CL
001	•	001-10033 - Heater CG8,382"30L" _230V/9,55kW	PC	•
002		002-10014 - Safety thermostat 335 C	PC	•
003	•	003-06060 - Door gasket OC-B-05	PC	•
004		003-07036 - Gasket for chimney 100x88	PC	•
005	•	003-10009 - Washer drain viton fi46xfi6	PC	•
006	•	003-10012 - Axis sealing HTB, Fi-17x24/30x4,14 D77	PC	•
007	•	003-10016 - Sealing o-ring fi50x6	PC	•
008		003-10020 - Thermal fuse sealing OC fi10xfi14	PC	•
009		003-10021 - Probe sealing OC fi8xfi14	PC	•
010	•	003-10022 - Sealing fi5xfi10	PC	•
011	•	003-10023 - Sealing o-ring fi15x3 OC-B	PC	•
012		003-20002 - Gasket - PSG/MB, type: 01.02.M black (m)	PC	•
013	•	004-10047 - Controller MOTOR INVERTER RSFAN 800W	PC	•
015	•	005-10016 - Motor drive - drain ball valve 1 1/4"	PC	•
016	•	005-10022 - Fan DP200A2123XBTGN,120x120x38 _230V	PC	•
017	•	005-10023 - Motor L7_EB60	PC	•
018		005-10027 - Motor drive flap 230VAC 2W 22s	PC	•
019	•	006-10008 - Fan 1.0 VRTK350-082-06	PC	•
020	•	007-10023 - Switch - relay DRM 270730LT	PC	•
021	•	007-10024 - Switch - relay-base SCM_2CO_ECO	PC	•
022	•	007-10029 - Contactor AF09-30-10-13 4kW	PC	•
023		007-10030 - Additional Coil Terminal Block LDC4	PC	•
024		009-10010 - Transformer, power supply MW HDR-15-15	PC	•
025		009-10011 - Transformer, power supply MW HDR-15-12	PC	•
026		009-10013 - Transformer, power supply MW HDR-30-24	PC	•
027	•	010-10006 - Temp.probe PT100 -125 (260 C), L=1,7 m	PC	•
028	•	011-10005 - Electromagnetic valve - double angular 3/4"	PC	•
029	•	011-10006 - Water level sensor (2 levels)	PC	•
030	•	011-10007 - Cleaning pump 0,28kW; 2800/min; 230V	PC	•
031	•	015-10010 - Light LED OC-B-05	PC	•
032		017-10012 - USB Cable female/male	PC	•
033	•	018-10024 - Fuse tube 5x20, T4A	PC	•
034		019-10007 - USB cover	PC	•
035		022-20009 - Rubber 90 curve Fi 20 150x150	PC	•
036		022-20010 - Rubber 90 curve Fi 28 150x150	PC	•
037		022-20011 - Steam pipe black Fi 28/36, L=1m	PC	•
038		022-20013 - Silicone hose Fi 3(inside)x4mm	PC	•
039		022-20015 - Silicone hose Fi9,0x3,75 mm FDA PET	PC	•
040		029-06167 - Spring fi6	PC	•
041		035-10002 - Filter RC KNR1512 U68 10% +100R 250VRC	PC	•
042		035-10019 - RC filter RIM 3 110/230VAC LED	PC	•
043		035-10023 - Filter EMI 16A-250VAC	PC	•
044		041-10001 - Rubber distance element Fi-18x8	PC	•
045		097-30101111 - Guides OC-B-05	PC	•
046		097-30101190 - Water dosing tube OC-B	PC	•

Position on the drawing	Spare part recommended	Code - Spare part name	Unit	FB5-S CL
049		097-30101481 - Pipe cleaning vertical assembly OC-B-05	PC	●
050		097-10105 - Pipe cleaning upper assembly OC-B	PC	●
051		097-10162 - Door latch - welded OC-A	PC	●
052		097-10458 - Steel line for right oven - welded OC-B-05-FBS	PC	●
054		097-10460 - Door handle - painted OC-B-FB-S BM	PC	●
055		097-30101485 - Drain cover OC-B	PC	●
056		097-30101718 - Dispersion water cylinder - perforated	PC	●
057		097-30701057 - Fan cover OC-B-05	PC	●
058		098-22002081 - Hinge shaft top	PC	●
059		098-30102100 - Teflonized inside glass strike	PC	●
060		098-30102403 - Door position upper fi25*12	PC	●
061		098-10004 - Cleaning nozzle with thread OC-B	PC	●
062		098-30102409 - Housing of motor shaft sealing	PC	●
063		098-10003 - Sealing nut upper OC-B	PC	●
065		098-5002070 - Inside door hinge fi13*10 OC-B	PC	●
066		098-5002076 - Teflonized distance element fi22	PC	●
067		098-5002138 - Steaming nozzle d=1,2	PC	●
068		098-10016 - Lower hinge shaft right	PC	●
069	●	099-16001064 - Electronic controller - S-Control	PC	●
071	●	099-30101604 - Glass inside assembly OC-B-05	PC	●
072		099-10273 - Glass outside assembly OC-B-05	PC	●
075	●	099-10266 - Solenoid door lock right - assembly OC-B-FBS	PC	●
076		099-10276 - Drain cleaning pipe - assembly OC-B,HTB,TP	PC	●


OVEN FRONT VIEW




OVEN BACK VIEW




ELECTRIC PLATE






CLEANING SYSTEM



R1:
Order of pos. 76 includes pos. 15!
Pos. 15 can be ordered separately when necessary.



R2:
Position 60 needs to be cut out of the door
in case of replacement.