


MOD: XVC305

EXPLODED VIEW DISEGNO ESPLOSO



MOD: XVC305

EXPLODED VIEW DISEGNO ESPLOSO



DESCRIZIONE CODICI

1	OD1910A0	COPERCHIO INOX XVC305/505/705
2	OD1895A0	FIANCO SX INOX XVC305
3	OD1896A0	FIANCO DX INOX XVC305
4	OF1310A0	SCHIENA INOX XVC305
5	OG1355A0	CARTER ARIA INOX XVC305
6	OH2551A0	TAPPO PER TUBO DI SCARICO LIQUIDI INOX C
7	OH1450A0	ANGOLO FACCIATA MUFFOLA INOX XB-XV-XG
8	OH2650A0	CERNIERA INOX VETRO INTERNO XBC/XVC
9	OH2655A1	TUBO D-INT=6 SP=1 INOX SCARICO
10	OH2560A0	CONTROSTAFFA ZINCATA PORTA C.T.
11	OH3790A0	LAMIERA TENUTA CAMINO
12	OH4305A1	DISCO TENUTA ALBERO MOTORE INOX STP
14	OH4310A0	PROFILO INOX PARACALORE CRUSCOTTO STP
15	OH4470A0	PORTA COMPONENTI INOX XVC305/505/705
16	CE1275A0	CAVO COLLEGAMENTO POTENZA CONTROLLO L2.5
17	CE1665A0	CAVO ALIMENTAZIONE BARRA LED 1 MT
18	CE1285A0	FERRITE EMI ROUNO MOD. 2643801502
19	CE1355A1	CAVO 5X2,5MMQ H07RN-F L=1,5MT
20	EL1055A0	RIDUZIONE J.G. DA D=10 A D=8 PM201008E
21	EL1210A0	RACCORDO J.GUEST TERMINALE DIRITTO
22	EL1252A0	ELETTROVALVOLA H2O 1 VIA RID. VERDE
23	EL1020A0	RACCORDO INTERMEDIO "T" TUBO ø8
26	EL1185A0	RACCORDO A GOMITO J.GUEST Ø8 - Ø8
27	EL1195A0	RACCORDO A GOMITO CON J.GUEST
28	EL1360A1	ELETTROVALVOLA H2O TRI-STADIO
29	GN1000B0	GUARNIZIONE NERA 50 SHORE FORNI XB-XG-XV
30	EL1370A0	RIDUTTORE PRESSIONE 2 BAR CUBEAIR
31	EL1375A0	FILTRO ACQUA Ø8 MESH100
32	GN1085A1	GUARNIZIONE PTFE+CARB 145X28X1
33	GN1140A1	GUARNIZIONE PORTAMOTORE STAMP.
34	GN1180A0	GUARNIZIONE CERNIERE VETRO INT.
35	GN1275A0	GUARNIZIONE CAMINO SILICONE NERO XVC
36	GN1200A0	GUARNIZIONE D=24 RACCORDO 3/4 GOMMA+RETE
37	GN1285A0	GUARNIZIONE SONDA DI TEMPERATURA NTC
39	GN1326A0	GUARNIZIONE RES. 70X22X0.8
40	GRL1220A0	SUPPORTO LATERALE DX INOX 5TG GNI/1
41	GRL1221A0	SUPPORTO LATERALE SX INOX 5TG GNI/1
42	VM1180A0	IMPUGNATURA MANIGLIA XVC204/304/504/704
43	MR1004A0	MORSETT. 7FTW GV V0 VL CU 1+2+3/4+5+6
44	LP1001B0	BARRA ILLUMINAZIONE LED L300
45	PD1001A0	PIEDINO 35X35 H26 PLASTICA+GOMMA GRIGIO
47	PE1710A0	SENSORE NUMERO GIRI MOTORE
48	TB1815A0	TUBO PE 7,93X4,75 TRASPARENTE
49	PE1725A3	SCHEDA POTENZA FORNI C.T. B.T. SERIE
50	PE1740A0	ASSIEME SCHEDA CONTROLLO PE1705
51	RC1170A1	DADO M14 H=8 CH=22 INOX
52	RC1210A1	RACCORDO 3/4 VALVOLA DI NON RITORNO
54	RS1205A0	RESISTENZA 6 SPIRE 2+2+1,6 kW 230 V

56	RS1215A0	RESISTENZA 1 SPIRA 147 W 105 V
57	TB1185A0	COLONNINA DX INOX PORTA XVC305 XBC405
58	TB1186A0	COLONNINA SX INOX PORTA XVC305 XBC405
59	VE1020A1	MICROINTERUTTORE PORTA MAGNETICO
60	TB1220A0	LIST. SUP. PORTA XVC305/505/705 20x20x1
61	VI1035A1	NOTTOINO M6x12,5 CON TAGLIO OTT.CROM.FE
62	TB1221A0	LIST. INF. PORTA XVC305/505/705 20x20x1
63	TB1515A0	TUBO ESTERNO UMIDITA + RACCORDO
64	TB1921A0	TUBO SILICONE VENTURI D25 XVC305
65	TB1745A0	TUBO INT. UMIDITA' CEN. XVC205/305 Ø16x1
66	TF1010A0	BOCCOLA TEFLON CERNIERA VETRO
67	TR1040A1	SONDA AL CUORE STAMPATA L=1320
69	TR1105A0	SONDA TEMPERATURA PT100 L=1000
70	VM1160A1	STAFFA INF. PORTA XVC204/304/504/704
71	VM1165A1	STAFFA SUP. PORTA XVC204/304/504/704
72	VM1166A0	COPERCHIO STAFFA SUPERIORE PORTA
73	TR1136A0	TERMOSTATO SIC. UNIP. 330 °C
74	VE1030A1	CALAMITA D=22,9mm PER MICROPORTA
75	VE1075A0	PRESSACAPO FV 268 RO+VITI FISSAGGIO
76	VM1190A1	SCROCCO MANIGLIA DX XVC204/304/504/704
77	VM1191A1	SCROCCO MANIGLIA SX XVC204/304/504/704
78	VM1192A0	COPERCHIO SCROCCO MANIGLIA XVC204/304/5
79	VM1195A0	PIASTRINA COPRIFORI XVC204/304/504/704
80	VE1115A0	MINICONTATTORE QUADRIPOLORE 20 A 230 V
81	VM1201A1	PIASTRINA SUPPORTO MICROPORTA MAGNETICO
82	VE1135A0	ATTUATORE VENTURI 220V 50/60 Hz SERIE 2
83	VM1216B0	CASSETTO RACCOGLILOCCE XVC104/304/504/7
84	VM1220A0	CLIP FISSAGGIO CASSETTO RACCOGLILOCCE
85	VE1360A0	TRASFORMATORE 230V - 12V 60VA
86	VE1110A0	CONDENSATORE 6,3 µF 450VAC 50/60Hz
87	VM1075A1	CLIP DI FISSAGGIO PER TELERUTTORI
88	VM1170B0	TAPPO FULCRO SUP. PORTA XVC204/304/504/7
89	VM1260A0	CURVA A 90° RACCORDO SCARICO
91	VM1171B0	TAPPO FULCRO INF. PORTA XVC204/304/504/7
92	VM1175A0	TAPPO ESTETICO COLONNINA PORTA
93	VM1206B0	PROFILO SALVAGOCCIA PORTA XVC304/504/704
94	VM1230A0	CERNIERA SUP. ALLUMINIO VETRO
95	VM1231A0	CERNIERA INF. ALLUMINIO VETRO
96	VM1235A0	FERMA VETRO INTERNO SUP. XVC204/304/504
97	VM1236A0	FERMA VETRO INTERNO INF. XVC204/304/504
98	VM1310A0	SCATOLA COPRI MORSETTIERA XB/XV/XVC/XG
99	VM1460A0	COPERCHIO DX SCROCCO PORTA XBC/XVC
100	VM1461A0	COPERCHIO SX SCROCCO PORTA XBC/XVC
101	VM1465A0	COPERCHIO SONDA TEMPERATURA CHEFTOP
102	VM1490A0	COPRI VITI MANIGLIA CHEFTOP BAKERTOP
103	VM1505A0	PASSAPARETE CON DIAFRAMMA
104	VM1510A0	BOCCOLA SCANALATA PERNO PORTA XBC/XVC
105	VM1511A0	BOCCOLA LISCIA PERNO PORTA CHEFTOP
106	VM1555A0	SUPPORTO VENTOLA RAFFREDDAMENTO CT-BT
107	VM1556A0	PROTEZIONE VENTOLA RAFFREDDAMENTO CT-BT
108	VM1565A1	PORTA BOBINA INFERIORE VENTURI

109	VM1566A0	PORTA BOBINA SUPERIORE VENTURI
110	VM1635A0	DISCO SUPPORTO MAGNETE
111	VM1745A0	SUPPORTO PER SCHEDA
112	VM1750A0	MORSETTIERA A PETTINE
113	VNI1030A3	VENTOLA D=196 H=81 39 PALE INOX DADO M8
114	VNI120B0	VENTOLA RAFFREDDAMENTO 12V
115	VNI130A0	MOTORE FORNO 330W 230V 50/60HZ
116	VT1095A0	VETRO INTERNO 633X432X6 BETFL XVC304
117	VT1096B0	VETRO ESTERNO SER. 647X555X4 CTF XVC305

MOD: XVC305

EXPLODED VIEW DISEGNO ESPLOSO



DESCRIPTION

1	OD1910A0	XVC305/505/705 STAINLESS STEEL COVER
2	OD1895A0	XVC305 STAINLESS STEEL LEFT SIDE
3	OD1896A0	XVC305 STAINLESS STEEL RIGHT SIDE
4	OF1310A0	XVC305 STAINLESS STEEL BACK PANEL
5	OG1355A0	XVC305 STAINLESS STEEL FAN GUARD
6	OH2551A0	XBC/XVC ST. STEEL COVER FOR DRAIN PIPE
7	OH1450A0	XB-XV-XG ST. STEEL MUFFLE FRONT CORNER
8	OH2650A0	XBC/XVC ST. STEEL INTERNAL GLASS HINGE
9	OH2655A1	STAINL. STEEL DRIP DRAIN TUBE INT-D=6
10	OH2560A0	XBC/XVC ZINC PLAT. DOOR COUNTERBRACKET
11	OH3790A0	CHIMNEY HOLDING PLATE
12	OH4305A1	ST. STEEL SEALING DISC FOR MOTOR SHAFT
14	OH4310A0	MOLDED ST. STEEL HEAT-GUARD FOR PANEL
15	OH4470A0	XVC3/5/705 ST. ST. EL. COMPONENTS PANEL
16	CE1275A0	CONNECTION CABLE POWER - CONTROL
17	CE1665A0	LED 1 MT POWER SUPPLY CABLE
18	CE1285A0	EMI ROUND FERRITE MOD.2643801502
19	CE1355A1	CABLE 5 X 2,5 MMQ H07RNF L = 1,5 MT
20	EL1055A0	STRAIGHT REDUCTION FROM D=10 TO
21	EL1210A0	J. GUEST STRAIGHT END CONNECTION
22	EL1252A0	ONE INLET WATER VALVE J.G.CONN.
23	EL1020A0	INTERMEDIATE "T" CONNECTION ø8
26	EL1185A0	ELBOW CONNECTION J. GUEST ø8 - ø8
27	EL1195A0	ELBOW UNION WITH J.GUEST TERMINAL
28	EL1360A1	THREE-STAGE WATER SOLENOID VALVE
29	GN1000B0	BLACK DOOR SEAL 50 SHORE OVENS XB-XG-XV
30	EL1370A0	DYNAMIC PRESSURE REDUCER 2 Bar
31	EL1375A0	ø8 MESH100 WATER FILTER
32	GN1085A1	PTFE+CARB SEALING 145X28X1
33	GN1140A1	MOLDED MOTOR SUPPORT GASKET
34	GN1180A0	INTERNAL GLASS HINGE CARBOGRAPHITE
35	GN1275A0	BLACK SILICON XBC/XVC CHIMNEY SEALING
36	GN1200A0	3/4 CONNECTION SEAL D=24 RUBBER+NET
37	GN1285A0	NTC TEMPERATURE PROBE SEALING
39	GN1326A0	ELEMENT SEALING 70X22X0.8
40	GRL1220A0	5 GN1/1 ST. STEEL RIGHT LATERAL SUPPORT
41	GRL1221A0	5 GN1/1 ST. STEEL LEFT LATERAL SUPPORT
42	VM1180A0	HANDLE HAFT XVC204/304/504/704
43	MR1004A0	
44	LP1001B0	LED LIGHTING BAR L300
45	PD1001A0	FOOT 35X35 H26 GREY PLASTIC+RUBBER
47	PE1710A0	MOTOR REVOLUTIONS SENSOR
48	TB1815A0	WHITE PE PIPE 7,93X4,75
49	PE1725A3	SERIES 5 CT. B.T. POWER CARD
50	PE1740A0	CONTROL BOARD PE1705 + BOARD COVER
51	RC1170A1	STAINLESS STEEL NUT M14 H=8 CH=22
52	RC1210A1	3/4 FEM. UNION+ FILTER + NONRETURN VALVE
54	RS1205A0	6 TURNS 2+2+1,6 kW 230 V HEATING ELEMENT

56	RS1215A0	147 W 105 V 1 TURN HEATING ELEMENT
57	TB1185A0	XVC305 XBC405 ST. ST. RIGHT DOOR COLUMN
58	TB1186A0	XVC305 XBC405 ST. ST. LEFT DOOR COLUMN
59	VE1020A1	MAGNETIC DOOR MICROSWITCH
60	TB1220A0	XVC305/505/705 ST. STEEL DOOR UPPER BAR
61	VI1035A1	CHROMIUM PLATED BRASS NUT M6x12,5
62	TB1221A0	XVC305/505/705 ST. STEEL DOOR LOWER BAR
63	TB1515A0	STAINLESS STEEL EXTERNAL WATER
64	TB1921A0	XVC305 VENTURI SILICON PIPE D25
65	TB1745A0	XVC205/305 CENTRAL INT. WATER PIPE
66	TF1010A0	TEFLON BUSHING FOR INTERNAL GLASS
67	TR1040A1	MOLDED CORE PROBE L=1320
69	TR1105A0	TEMPERATURE PROBE PT100 L=1000
70	VM1160A1	XVC204/304/504/704 LOWER DOOR BRACKET
71	VM1165A1	XVC204/304/504/704 UPPER DOOR BRACKET
72	VM1166A0	CAP FOR DOOR UPPER STIRRUP XVC204/304/5
73	TR1136A0	
74	VE1030A1	MAGNET FOR DOOR MICROSWITCH D=22,9mm
75	VE1075A0	CABLE PRESS FV 268 RO
76	VM1190A1	RIGHT DOOR SPRING LATCH XVC204/304/504/
77	VM1191A1	LEFT DOOR SPRING LATCH XVC204/304/504/7
78	VM1192A0	DOOR SPRING LATCH CAP XVC204/304/504/704
79	VM1195A0	HOLES BLANKING PLATE XVC204/304/504/704
80	VE1115A0	MINI CONTACTOR WITH 4 POLES 20 A 230 V
81	VM1201A1	MAGNETIC SUPPORT PLATE FOR DOOR MICROSW.
82	VE1135A0	VENTURI ACTUATOR 220 V 50/60 Hz SERIES 2
83	VM1216B0	DRIP TRAY XVC304/504/704
84	VM1220A0	CLIP TO FIX DRIP TRAY C.T.
85	VE1360A0	230V - 12V 60VA TRANSFORMER
86	VE1110A0	CONDENSER 6,3 µF 450VAC 50/60Hz
87	VM1075A1	PLASTIC CLIP TO FIX CONTACTORS
88	VM1170B0	DOOR UPPER FULCRUM-CAP XVC204/304/504/70
89	VM1260A0	90 °C CURVED DRAIN PIPE
91	VM1171B0	XVC204/304/504/70 DOOR LOWER FULCRUM-CAP
92	VM1175A0	DOOR COLUMN BLANKING CAP XVC204/304/504
93	VM1206B0	DOOR DROP PRESERVER FORM XVC304/504/704
94	VM1230A0	UPPER ALUMINIUM HINGE FOR INTERNAL
95	VM1231A0	LOWER ALUMINIUM HINGE FOR INTERNAL
96	VM1235A0	UPPER HOOK TO STOP INNER GLASS
97	VM1236A0	LOWER HOOK TO STOP INNER GLASS
98	VM1310A0	COVER FOR TERMINAL BOX XB/XV/XVC/XG
99	VM1460A0	XBC/XVC RIGHT DOOR LATCH CAP
100	VM1461A0	XBC/XVC LEFT DOOR LATCH CAP
101	VM1465A0	CHEFTOP TEMPERATURE PROBE COVER
102	VM1490A0	CHEFTOP/BAKERTOP HANDLE SCREWS COVER
103	VM1505A0	WALL PASSING WITH DIAPHRAGM
104	VM1510A0	XBC/XVC GROOVED DOOR PIN BUSHING
105	VM1511A0	XBC/XVC SLEEK DOOR PIN BUSHING
106	VM1555A0	XBC-XVC COOLING FAN SUPPORT
107	VM1556A0	XBC-XVC COOLING FAN GUARD
108	VM1565A1	LOWER VENTURI COIL SUPPORT

109	VM1566A0	UPPER VENTURI COIL SUPPORT
110	VM1635A0	MAGNET HOLDING DISC
111	VM1745A0	BOARD SUPPORT
112	VM1750A0	TERMINAL BOARD
113	VNI1030A3	ST. STEEL FAN D=196 H=81 39 BLADES
114	VNI120B0	12V COOLING DOWN FAN
115	VNI130A0	330W 230V 50/60HZ MOTOR
116	VT1095A0	INNER GLASS 633X432X6 BETFL XVC304
117	VT1096B0	XVC305 EXTERNAL GLASS 647X555X4

MOD: XVC305

**EXPLODED VIEW
DISEGNO ESPLOSO**

